

## 《香港增補字符集－2008》新增內容

### New contents of the HKSCS - 2008

#### 1. 《香港增補字符集－2008》新增字符

##### Additional characters in the HKSCS – 2008

自公布《香港增補字符集－2004》後，“中文界面諮詢委員會”處理市民及政府部門提交的新增字符申請，批准增收了68 個字符，並把增收字符正式納入《香港增補字符集》內。

Since the publication of the HKSCS-2004, the Chinese Language Interface Advisory Committee has approved the inclusion of 68 characters in the HKSCS after considering applications from the public and government departments.

序號 Serial No.	字形 Glyph	ISO/IEC 10646:2003 及第一至第六修訂版 ISO/IEC 10646:2003 and Amendments 1 to 6	ISO/IEC 10646-1:2000	ISO/IEC 10646-1:1993	大五碼 Big-5
1	副	34E6	34E6	F2C2	87BE
2	夙	3875	3875	F2A0	877A
3	啡	3AF5	3AF5	F2A6	87A2
4	璽	3EEC	3EEC	F2A4	877E
5	碇	40B4	40B4	F2DD	87D9
6	枋	4131	4131	F2CA	87C6
7	釋	4181	4181	F2D2	87CE
8	縵	430A	430A	F2AE	87AA
9	菀	44E1	44E1	F2DF	87DB
10	訥	46AE	46AE	F2D0	87CC
11	鏗	492F	492F	F2C8	87C4
12	鍒	4930	4930	F2B2	87AE
13	紉	524F	524F	524F	87BC

序號 Serial No.	字形 Glyph	ISO/IEC 10646:2003 及第一至第六修訂版 ISO/IEC 10646:2003 and Amendments 1 to 6	ISO/IEC 10646-1:2000	ISO/IEC 10646-1:1993	大五碼 Big-5
14	叫	544C	544C	544C	87C5
15	圻	57B3	57B3	57B3	87C3
16	塏	5818	5818	5818	87C8
17	塏	5896	5896	5896	87B0
18	枷	62C1	62C1	62C1	87DD
19	𦉳	6660	6660	6660	87B5
20	𦉳	6782	6782	6782	87BA
21	𦉳	6A29	6A29	6A29	87B6
22	𦉳	706E	706E	706E	87DE
23	𦉳	73C4	73C4	73C4	87BF
24	𦉳	744C	744C	744C	87B8
25	𦉳	74C6	74C6	74C6	87C1
26	𦉳	79D0	79D0	79D0	87B3
27	𦉳	7A2C	7A2C	7A2C	87BB
28	𦉳	7A32	7A32	7A32	87B4
29	𦉳	7A72	7A72	7A72	87C9
30	𦉳	7AFC	7AFC	7AFC	87A3
31	𦉳	7BAE	7BAE	7BAE	87D0
32	𦉳	7BC5	7BC5	7BC5	87B9
33	𦉳	8484	8484	8484	87AB

序號 Serial No.	字形 Glyph	ISO/IEC 10646:2003 及第一至第六修訂版 ISO/IEC 10646:2003 and Amendments 1 to 6	ISO/IEC 10646-1:2000	ISO/IEC 10646-1:1993	大五碼 Big-5
34	藺	8504	8504	8504	87D7
35	藪	8613	8613	8613	87AF
36	紉	889D	889D	889D	87B7
37	譽	8B8F	8B8F	8B8F	87CB
38	逴	9046	9046	9046	87BD
39	鉦	9218	9218	9218	87B2
40	鐳	942F	942F	942F	87AD
41	靈	974A	974A	974A	87B1
42	隴	9F96	9F96	9F96	87AC
43	靄	9F97	9F97	9F97	87A4
44	淨	9FC7	F2C6	F2C6	87C2
45	徠	9FC8	F2D6	F2D6	87D2
46	伍	9FC9	F2DA	F2DA	87D6
47	茈	9FCA	F2DE	F2DE	87DA
48	禧	9FCB	F2E3	F2E3	87DF
49	廉	20A8A	F2AC	F2AC	87A8
50	屹	21D53	F2A1	F2A1	877B
51	亿	224BC	F2D5	F2D5	87D1
52	彳	224C1	F2D7	F2D7	87D3
53	徠	224C9	F2D8	F2D8	87D4

序號 Serial No.	字形 Glyph	ISO/IEC 10646:2003 及第一至第六修訂版 ISO/IEC 10646:2003 and Amendments 1 to 6	ISO/IEC 10646-1:2000	ISO/IEC 10646-1:1993	大五碼 Big-5
54	𠂇	224CC	F2D9	F2D9	87D5
55	𠂈	231EA	F2AB	F2AB	87A7
56	𠂉	2325E	F2AD	F2AD	87A9
57	𠂊	235BB	F2DC	F2DC	87D8
58	𠂋	2368E	F2CB	F2CB	87C7
59	𠂌	2369E	F2A2	F2A2	877C
60	𠂍	24161	F2A9	F2A9	87A5
61	𠂎	258DE	F2A5	F2A5	87A1
62	𠂏	25D99	F2D3	F2D3	87CF
63	𠂐	25DB9	F2C4	F2C4	87C0
64	𠂑	26021	F2A3	F2A3	877D
65	𠂒	26E88	F2D1	F2D1	87CD
66	𠂓	27B65	F2CE	F2CE	87CA
67	𠂔	2890D	F2AA	F2AA	87A6
68	𠂕	2ADFF	F2E0	F2E0	87DC

2. ISO/IEC 10646 碼位修訂  
Revision of ISO/IEC 10646 code point

The code points of 6 characters (serial numbers 44,45,46,47, 48 and 68) are amended to the corresponding code points of the ISO/IEC 10646:2003 Amendments 5 and 6.

序號 44、45、46、47、48 和 68 合共六個字符的編碼，已根據 ISO/IEC 10646:2003 第五及第六修訂版予以修訂。